


Amphenol Charles

BROADBAND PEDESTAL SELECTION GUIDE



Distributed by:

ChallengerOptics

A ChallengerCableSales company

ChallengerOptics.com | sales@challengeroptics.com | 310.338.9971

Vertical Pedestals Selection Guide

Amphenol Charles broadband pedestals are robust above grade enclosures to easily protect, manage, and maintain equipment in the outside plant. Vertical pedestals are available in several sizes with a variety of bracketry to optimally deploy RF coax and fiber networks. Constructed with recyclable HDPE.



	Z02 Series	R02 Series	B04 Series	B05 & B06	Z05 & Z06
Size	10" x 10" x 19" 26" overall height	10" round x 21" 31" overall height	12" x 12" x 28" 35" overall height	B05: 12x12x24" B06: 12x12x30"	Z05: 12x12x25" Z06: 12x12x30"
Vented/Unvented	Unvented	Unvented	Unvented	Vented or Unvented	Vented
Lock Options	7/16" hex P-Key	7/16" hex P-Key	7/16" hex P-Key	7/16" hex P-Key	7/16" hex P-Key
Color	Light green Dark green	Light green Dark green	Light green Dark green	Light green Dark green	Light green Dark green
Bracket Options	000, 024	000	000, 001, 012, 024	000, 017, 024, 012 (B06)	000, 017, 024
Common Use	Taps, MSTs, other passives	Taps, MSTs, other passives	Taps, MSTs, Fiber closures	Taps, MST, Fiber closures	Taps, MST, Fiber closures

Distributed by:

ChallengerOptics

A ChallengerCableSales company

ChallengerOptics.com | sales@challengeroptics.com | 310.338.9971

Low Profile Horizontal Selection Guide

Amphenol Charles broadband pedestals are robust above grade enclosures to protect, manage, and maintain equipment in the outside plant. Low profile vented pedestals are available in a variety of sizes with solid bracketry to optimally deploy coax and fiber networks. Constructed with recyclable HDPE.



	108, 109, 117 Series	110, 111 Series	Z14/Z24 Series
Size	108: 30x12x18" 29" overall 109: 30x17x20" 30" overall 117: 35x15x17" 28" overall	110: 35x17x19" 30" overall 111: 35x18x26" 37" overall	Z14: 36x24x26" 41" overall Z24: 36x24x26" 60" overall
Vented/Unvented	Vented	Vented	Vented
Lock Options	7/16" hex or P-Key	7/16" hex or P-Key	7/16" hex or P-Key
Color	Light green Medium green Dark green	Light green Medium green Dark green	Light green
Bracket Options	Low profile (002)	Low profile (002)	Node (007)
Common Use	Line extender, amplifier, fiber storage	Line extender, amplifier, fiber storage	High heat dissipation for R-PHY Node, amplifier and fiber storage.

Distributed by:


ChallengerOptics

A ChallengerCableSales company


ChallengerOptics.com | sales@challengeroptics.com | 310.338.9971

Bracketry Options


Vertical Pedestal Options




000 stake only




001 flag bracket



012 terminal backboard




024 C-bracket




017 Hoop with fiber guide & C-bracket

Low Profile Pedestal Options



002 standard low profile bracket



007 Node with fiber storage bracketry

Distributed by:

ChallengerOptics

A ChallengerCableSales company

ChallengerOptics.com | sales@challengeroptics.com | 310.338.9971